


TRACK & ACCESSORIES

3 CIRCUIT TRACK

3 Circuit Euro-style track available in a number of set lengths. Can be cut to suit application.


| FIXTURE | LENGTH | COLOUR |
|--------------|--------------------|-----------------|
| TRK3C | — | — |
| | 1000 1000mm | WH White |
| | 2000 2000mm | BK Black |
| | 3000 3000mm | |



LIVE END CONNECTOR

Live end connection providing a wiring point to start a track run.

| FIXTURE | POLARISATION | COLOUR |
|------------------|--------------|-----------------|
| TRK3C.LEC | — | — |
| | A A | WH White |
| | | BK Black |



END CAP

Blank end cap to finish a track run.


| FIXTURE | COLOUR |
|------------------|-----------------|
| TRK3C.ECP | — |
| | WH White |
| | BK Black |



3 CIRCUIT RECESSED TRACK

3 Circuit Euro-style recessed track available in a number of set lengths. Can be cut to suit application.


| FIXTURE | LENGTH | COLOUR |
|-----------------|--------------------|-----------------|
| TRK3C.RC | — | — |
| | 1000 1000mm | WH White |
| | 2000 2000mm | BK Black |
| | 3000 3000mm | |



STRAIGHT CONNECTOR

Straight connector to join two sections of track. Features a wiring point to provide mid-section powering.


| FIXTURE | COLOUR |
|-----------------|-----------------|
| TRK3C.SC | — |
| | WH White |
| | BK Black |



FLEXIBLE CONNECTOR

Flexible connector to join two sections of track in any angle up to 90° in any orientation.


| FIXTURE | COLOUR | |
|-----------------|-----------|-------|
| TRK3C.FC | --- | |
| | WH | White |
| | BK | Black |



ELBOW CONNECTOR

Elbow connector to connect track sections at right-angles.


| FIXTURE | POLARISATION | | COLOUR | |
|------------------|--------------|---|-----------|-------|
| TRK3C.ELB | --- | | --- | |
| | A | A | WH | White |
| | | | BK | Black |



TEE CONNECTOR

Connector to join three track sections in a T-configuration. Available with A or B polarised straight sections.


| FIXTURE | POLARISATION | | DIRECTION | COLOUR | |
|------------------|--------------|---|-----------|--------|-----------------|
| TRK3C.TEE | --- | | --- | --- | |
| | A | A | L | Left | WH White |
| | | | R | Right | BK Black |



4-WAY CONNECTOR

Connector to join four track sections.

| FIXTURE | COLOUR | |
|------------------|-----------|-------|
| TRK3C.4WY | --- | |
| | WH | White |
| | BK | Black |



SUSPENSION KIT

Provide a method of suspending the track. Available with steel wire or threaded rod and ceiling hardware, or bracket only.

| FIXTURE | INSULATION | COLOUR | |
|------------------|-------------------------------|-----------|-------|
| TRK3C.SKT | --- | --- | |
| | Bracket only | WH | White |
| | WIRE 1.5m steel wire | BK | Black |
| | ROD 1mxM6 threaded rod | | |




TRACK CONNECTOR COVERS

LIVE-END CONNECTOR COVER

3 Circuit Euro-style recessed track live-end connector cover

| FIXTURE | COLOUR | |
|-------------------|-----------------|--|
| TRK3C.LECC | — | |
| | WH White | |
| | BK Black | |



“L” CONNECTOR COVER

3 Circuit Euro-style recessed track “L” connector cover


| FIXTURE | COLOUR | |
|------------------|-----------------|--|
| TRK3C.LCC | — | |
| | WH White | |
| | BK Black | |



“+” CONNECTOR COVER

3 Circuit Euro-style recessed track four-way connector cover


| FIXTURE | COLOUR | |
|------------------|-----------------|--|
| TRK3C.+CC | — | |
| | WH White | |
| | BK Black | |



STRAIGHT CONNECTOR COVER

3 Circuit Euro-style recessed track straight connector cover

| FIXTURE | COLOUR | |
|------------------|-----------------|--|
| TRK3C.SCC | — | |
| | WH White | |
| | BK Black | |




“T” CONNECTOR COVER

3 Circuit Euro-style recessed track “T” connector cover

| FIXTURE | COLOUR | |
|------------------|-----------------|--|
| TRK3C.TCC | — | |
| | WH White | |
| | BK Black | |





DIMMING TRACK SYSTEM WIRING:

0-10V DIMMING (AN DIMMING):
D1: + (AN+)
D2: - (AN-)

DALI DIMMING:
D1: DALI SINGAL WIRE
D2: DALI SINGAL WIRE

