

# SPACE<sup>2</sup>

## MAGNETIC TRACK OPTIONS & ACCESSORIES





## SPACE<sup>2</sup> SERIES

A 48V low-voltage powered magnetic track lighting system with options for 3 different types of installation. Luminaires are magnetically secured on the track whereby various modular luminaires can be simply slotted onto the track, which then can be flexibly positioned and interchanged at any time.

## SPACE<sup>2</sup> RECESSED MOUNTED TRACK


### TRACK COMPONENTS



### ORDERING MATRIX CHART

Track		Type	Length		Colour		
<b>S-TRACK-R</b>	Recessed	<b>PF</b>	Power Feed	<b>500</b>	500mm	<b>MB</b>	Matt Black
				<b>1000</b>	1000mm		
		<b>EX</b>	Extension	<b>1000</b>	1000mm		


example: S-TRACK-R.PF.1000.MB




\*A 150W driver is required to power up a single track up to a maximum length of 10m and not more than 10 luminaires on the same track.

### ACCESSORIES


**S-TRACK-RA1**  
Flat Corner  
90° corner on the same plane.




**S-TRACK-RA2**  
Introvert Corner  
90° corner between different planes, such as walls to ceiling.




**S-TRACK-RA3**  
Extrovert Corner  
90° corner between different planes, such as the corner of a square column surface.



**S-TRACK-RA4**  
Power Connection Kit




**S-TRACK-RA5**  
End Cap x 2



### ORDERING MATRIX CHART



Accessories		Colour	
<b>S-TRACK-RA1</b>	Flat Corner	<b>MB</b>	Matt Black
<b>S-TRACK-RA2</b>	Introvert Corner	<b>MB</b>	Matt Black
<b>S-TRACK-RA3</b>	Extrovert Corner	<b>MB</b>	Matt Black
<b>S-TRACK-RA4</b>	Power Connection Kit		N/A
<b>S-TRACK-RA5</b>	End Cap	<b>MB</b>	Matt Black

example: S-TRACK-RA1.MB



## SPACE<sup>2</sup> SURFACE MOUNTED TRACK


### TRACK COMPONENTS



### ORDERING MATRIX CHART

Track		Type		Length		Colour	
<b>S-TRACK-S</b>	Surface	<b>PF</b>	Power Feed	<b>500</b>	500mm	<b>MB</b>	Matt Black
		<b>EX</b>	Extension	<b>1000</b>	1000mm		

example: S-TRACK-S.PF.1000.MB




\*A 150W driver is required to power up a single track up to a maximum length of 10m and not more than 10 luminaires on the same track.

### ACCESSORIES

#### S-TRACK-SA1

Corner  
90° corner on the same plane.



### ORDERING MATRIX CHART

Accessories		Colour	
<b>S-TRACK-SA1</b>	Corner	<b>MB</b>	Matt Black
<b>S-TRACK-SA2</b>	Power Connector		N/A
<b>S-TRACK-SA3</b>	End Cap	<b>MB</b>	Matt Black

example: S-TRACK-SA1.MB


#### S-TRACK-SA2

Power Connector Pin x 2



#### S-TRACK-SA3


End Cap x 2




# SPACE<sup>2</sup> SUSPENDED TRACK

## TRACK COMPONENTS

Suspended




Track with Power Feed




Track Extension

Suspended Up Lit

Suspended magnetic track with 3000K up lit LED.



Track with Power Feed




Track Extension

### ORDERING MATRIX CHART

Track		Type	Length		Colour		
<b>S-TRACK-P</b>	Suspended	PF	Power Feed	1000	1000mm	<b>MB</b>	Matt Black
		EX	Extension	2000	2000mm		
<b>S-TRACK-PUL</b>	Suspended Up Lit	PF	Power Feed	2000	2000mm		
		EX	Extension				


example: S-TRACK-R.PF.1000.MB



\*A 150W driver is required to power up a single track up to a maximum length of 10m and not more than 10 luminaires on the same track.

## ACCESSORIES

**S-TRACK-PA1**  
Corner  
90° corner on the same plane.




**S-TRACK-PA2**  
Power Connector Pin x 2




**S-TRACK-PA3**  
Connection Plate



**S-TRACK-PA4**  
End Cap x 2



**S-TRACK-PA5**  
Suspension Cable (1.2m)



**S-TRACK-PA6**  
Suspension Mounting Plate



### ORDERING MATRIX CHART

Accessories		Colour	
<b>S-TRACK-PA1</b>	Corner	<b>MB</b>	Matt Black
<b>S-TRACK-PA2</b>	Power Connector	<b>MB</b>	Matt Black
<b>S-TRACK-PA3</b>	Connection Plate	<b>MB</b>	Matt Black
<b>S-TRACK-PA4</b>	End Cap		N/A
<b>S-TRACK-PA5</b>	Suspension Cable	<b>MB</b>	Matt Black
<b>S-TRACK-PA6</b>	Suspension Plate		

example: S-TRACK-PA1.MB